


# HSM SECURIO P36i - 5,8 mm



Article Number	00000000001851121	Container volume / collecting	145 l
EAN	4026631057660	Container / collection volume in sheets	954
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Noise level (idle operation)	55 dB(A)
Protection class (DIN 66399)	low	Power consumption	1000 W
Cutting width	5.8 mm	Voltage	230 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	43-45	Weight	64 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	52-54	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips		
Intake width	330 mm		




ibprint4u.my  
Your Nearest PrintShop

# HSM SECURIO P36i - 3,9 mm



Article Number	00000000001850121	Intake width	330 mm
EAN	4026631057653	Container volume / collecting	145 l
UN/SPSC	44101603	Container / collection volume in sheets	1305
Scope of application	Department	Cutting speed	85 mm/s
Protection class (DIN 66399)	low	Power consumption	1000 W
Cutting width	3.9 mm	Voltage	230 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	34-36	Weight	64 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	40-42	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips		



ibprint4u.my  
Your Nearest PrintShop

# HSM SECURIO P36i - 4,5 x 30 mm



Article Number	00000000001853121	Intake width	330 mm
EAN	4026631057882	Container volume / collecting	145 l
eclass 7.1	24320706	Container / collection volume in sheets	1773
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	69 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	4.5 mm	Power consumption	1100 W
Particle length	30 mm	Voltage	230 V
Cutting type	Particle cut	Frequency	50 Hz
Security level (DIN 66399)	O-3, P-4, T-4, E-3, F-1	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	27-29	Weight	68 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	29-31	Colour	white
Shredder material	Paper, Credit card, CD/DVD, Staples and paper clips		

print4u.my  
Your Nearest PrintShop

# HSM SECURIO P36i - 1,9 x 15 mm




Article Number	00000000001852121	Intake width	330 mm
EAN	4026631057875	Container volume / collecting	145 l
eclass 7.1	24320706	Container / collection volume in sheets	1845
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	41 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	1.9 mm	Power consumption	1100 W
Particle length	15 mm	Voltage	230 V
Cutting type	Particle cut	Frequency	50 Hz
Security level (DIN 66399)	P-5, F-2, T-5, E-4	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	16-18	Weight	68 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	20-22	Colour	white
Shredder material	Paper, Credit card, Staples and paper clips		

ibprint4u.my  
Your Nearest PrintShop

# HSM SECURIO P40i - 5,8 mm



Article Number	00000000001881121	Intake width	330 mm
EAN	4026631058056	Container volume / collecting	145 l
UN/SPSC	44101603	Container / collection volume in sheets	954
Scope of application	Department	Cutting speed	85 mm/s
Protection class (DIN 66399)	low	Power consumption	1300 W
Cutting width	5.8 mm	Voltage	400 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	56-58	Weight	67 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	64-66	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips		




ibprint4u.my  
Your Nearest PrintShop

# HSM SECURIO P40i - 3,9 mm



Article Number	00000000001880121	Intake width	330 mm
EAN	4026631058049	Container volume / collecting	145 l
UN/SPSC	44101603	Container / collection volume in sheets	1305
Scope of application	Department	Cutting speed	85 mm/s
Protection class (DIN 66399)	low	Power consumption	1300 W
Cutting width	3.9 mm	Voltage	230 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	44-46	Weight	67 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	49-51	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips		



ibprint4u.my  
Your Nearest PrintShop

# HSM SECURIO P40i - 4,5 x 30 mm




Article Number	00000000001883121	Intake width	330 mm
EAN	4026631058278	Container volume / collecting	145 l
eclass 7.1	24320706	Container / collection volume in sheets	1773
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	87 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	4.5 mm	Power consumption	1275 W
Particle length	30 mm	Voltage	230 V
Cutting type	Particle cut	Frequency	50 Hz
Security level (DIN 66399)	O-3, P-4, E-3, T-4, F-1	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	34-36	Weight	72 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	38-40	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips		

print4u.my  
Your Nearest PrintShop

# HSM SECURIO P40i - 1,9 x 15 mm



Article Number	00000000001882121	Intake width	330 mm
EAN	4026631058063	Container volume / collecting	145 l
eclass 7.1	24320706	Container / collection volume in sheets	1845
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	48 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	1.9 mm	Power consumption	1275 W
Particle length	15 mm	Voltage	230 V
Cutting type	Particle cut	Frequency	50 Hz
Security level (DIN 66399)	O-4, P-5, F-2, T-5, E-4	Width x Height x Depth	580 x 1020 x 550 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	19-21	Weight	72 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	24-26	Colour	white
Shredder material	Paper, Credit card, CD/DVD, Staples and paper clips		



print4u.my  
Your Nearest PrintShop



# HSM SECURIO P44i - 5,8 mm



Article Number	00000000001871121	Container volume / collecting	205 l
EAN	4026631058438	Container / collection volume in sheets	1349
eclass 7.1	24320706	Cutting speed	85 mm/s
UN/SPSC	44101603	Throughput capacity per hour	197 kg
Scope of application	Department	Noise level (idle operation)	55 dB(A)
Protection class (DIN 66399)	low	Power consumption	1900 W
Cutting width	5.8 mm	Voltage	220-230 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	700 x 1105 x 592 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	77-79	Weight	105 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	83-85	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips, USB stick		
Intake width	400 mm		

print4u.my  
Your Nearest PrintShop

# HSM SECURIO P44i - 3,9 mm



Article Number	00000000001870121	Container volume / collecting	205 l
EAN	4026631058421	Container / collection volume in sheets	1845
eclass 7.1	24320706	Cutting speed	85 mm/s
UN/SPSC	44101603	Throughput capacity per hour	156 kg
Scope of application	Department	Noise level (idle operation)	55 dB(A)
Protection class (DIN 66399)	low	Power consumption	1900 W
Cutting width	3.9 mm	Voltage	220-230 V
Cutting type	Strip cut	Frequency	50 Hz
Security level (DIN 66399)	P-2, O-2, T-2, E-2	Width x Height x Depth	700 x 1105 x 592 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	61-63	Weight	105 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	67-69	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips, USB stick		
Intake width	400 mm		

print4u.my  
Your Nearest PrintShop

# HSM SECURIO P44i - 3,9 x 40 mm



Article Number	00000000001873121	Intake width	400 mm
EAN	4026631058452	Container volume / collecting	205 l
eclass 7.1	24320706	Container / collection volume in sheets	2696
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	110 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	3.9 mm	Power consumption	1900 W
Particle length	40 mm	Voltage	220-230 V
Cutting type	Particle cut	Frequency	50-60 Hz
Security level (DIN 66399)	O-3, P-4, E-3, T-4, F-1	Width x Height x Depth	700 x 1105 x 592 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	43-45	Weight	105 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	48-50	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips, USB stick		

print4u.my  
Your Nearest PrintShop

# HSM SECURIO P44i - 1,9 x 15 mm



Article Number	00000000001872121	Intake width	400 mm
EAN	4026631058445	Container volume / collecting	205 l
eclass 7.1	24320706	Container / collection volume in sheets	2610
UN/SPSC	44101603	Cutting speed	85 mm/s
Scope of application	Department	Throughput capacity per hour	64 kg
Protection class (DIN 66399)	high, very high	Noise level (idle operation)	55 dB(A)
Cutting width	1.9 mm	Power consumption	1900 W
Particle length	15 mm	Voltage	220-230 V
Cutting type	Particle cut	Frequency	50-60 Hz
Security level (DIN 66399)	O-4, P-5, F-2, E-4, T-5	Width x Height x Depth	700 x 1105 x 592 mm
Cutting capacity in sheets 80g/m <sup>2</sup>	25-27	Weight	105 kg
Cutting capacity in sheets 70g/m <sup>2</sup>	30-32	Colour	white
Shredder material	Floppy disk, Paper, Credit card, CD/DVD, Staples and paper clips, USB stick		

print4u.my  
Your Nearest PrintShop